

# MadaCide-1

HOSPITAL DISINFECTANT / DECONTAMINANT CLEANER  
DETERGENT / DISINFECTANT

## COVID-19 UPDATE

MadaCide-1 kills SARS-CoV-2, which causes COVID-19\*\* on hard non-porous surfaces in just 1 minute.

\*\*Severe Acute Respiratory Syndrome Related Coronavirus 2

## FEATURES / BENEFITS

- ✓ Ready-to-Use Disinfectant Spray
- ✓ Contains No Alcohol
- ✓ Cleans, Disinfects and Deodorizes in One Easy Step.\*<sup>1</sup>
- ✓ Will not scratch or bleach surfaces
- ✓ <sup>1</sup>VIRUCIDAL
- ✓ FUNGICIDAL
- ✓ TUBERCULOCIDAL
- ✓ NON-PATHOGENIC MILDEWSTAT
- ✓ BACTERICIDAL

\*when used according to disinfection directions.  
1 "One Step" claim is limited to association with non-food contact hard non-porous surface use.

## ORDERING INFORMATION

No. **7008** 32 oz. Spray Bottles (12/case)

No. **7009** 1 Gallon Bottles (4/case)

No. **7008**

32 oz. Spray Bottle (12/case)

No. **7009**

1 Gallon (4/case)



# MadaCide-1

**MadaCide-1 is a one-step *Germicidal, Disinfectant, Cleaner & Deodorant*, designed for *Cleaning, Disinfecting, Deodorizing & Controlling Mold and Mildew* on *Hard, Non-Porous Inanimate Surfaces***

## **FORMULATED TO DISINFECT HARD, NON-POROUS, INANIMATE ENVIRONMENTAL SURFACES:**

- Floors
- Walls
- Metal Surfaces
- Stainless Steel Surfaces
- Glazed Porcelain
- Glazed Ceramic Tile
- Chrome
- Brass
- Copper
- Laminated Surfaces
- Baked Enamel Surfaces
- Bathrooms
- Shower Stalls
- Bathtubs
- Cabinets

## **THIS PRODUCT IS DESIGNED SPECIFICALLY AS A GENERAL CLEANER AND DISINFECTANT FOR USE ON HARD, NON-POROUS SURFACES IN:**

*Homes, Hospitals, Nursing Homes, Patient Rooms, Operating Rooms, ICU Areas, Shower Rooms, Locker Rooms, Public Restrooms, Schools, Food Processing Plants, Food Service Establishments, Restaurants, Commercial Kitchens, Transportation Terminals, Office Buildings, Manufacturing Facilities, Lodging Establishments, Retail Businesses, and Athletic/recreational Facilities.*

**BACTERICIDAL ACTIVITY:** Using AOAC test methods under Good Laboratory Practices, (GLPs), in the presence of 5% blood serum and a 3 minute contact time, unless otherwise noted, this product kills the following organisms on hard non-porous inanimate surfaces: *Pseudomonas aeruginosa*, *Salmonella (choleraesuis) enterica*, *Escherichia coli* O157:H7, *Streptococcus pyogenes*, *Listeria monocytogenes*, *Enterococcus faecium*, *Salmonella (typhi) enterica*, *Staphylococcus aureus*, *Escherichia coli*, *Yersinia enterocolitica*, *Corynebacterium ammoniagenes*.

**ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY:** Using AOAC test methods under Good Laboratory Practices, (GLPs), in the presence of 5% blood serum and a 3 minute contact time, unless otherwise noted, this product kills the following organisms on hard non-porous inanimate surfaces: Methicillin resistant *Staphylococcus aureus* (MRSA), Vancomycin intermediate resistant *Staphylococcus aureus* (VISA), Vancomycin resistant *Enterococcus faecalis* (VRE), Methicillin resistant *Staphylococcus epidermidis* (MRSE).

**\* VIRUCIDAL ACTIVITY:** This product kills on hard, non-porous inanimate surfaces against: Hepatitis A Virus (HAV), Poliovirus Type 1 and Canine Parvovirus, when the treated surface is allowed to remain visibly wet for 10 minutes. Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Bovine Viral Diarrhea Virus (BVDV), when the treated surface is allowed to remain visibly wet for 5 minutes. Rhinovirus Type 39 (ATCC VR-340) and Rotavirus, when the treated surface is allowed to remain visibly wet for 3 minutes. Human Coronavirus, SARS associated Coronavirus, Avian Influenza A Virus strain H3N2 and Avian Influenza A Virus strain H9N2, when the treated surface is allowed to remain visibly wet for 2 minutes. HIV-1 (associated with AIDS) and SARS-Related Coronavirus 2 (SARS-CoV-2) USA-WA1/2020 BEI NR-52281, when the treated surface is allowed to remain visibly wet for 1 minute. Norovirus (Norwalk Virus), Feline Calicivirus and Rabies Virus, when the treated surface is allowed to remain visibly wet for 30 seconds.

**FUNGICIDAL ACTIVITY:** This product is fungicidal against the pathogenic fungus, *Trichophyton interdigitale*, formerly *Trichophyton mentagrophytes* (Athlete's Foot Fungus) (a cause of ringworm), when used with a 10 minute contact time on clean, non-porous, hard surfaces as found in bathrooms, shower stalls, locker rooms, or other areas commonly contacted by bare feet.

**TUBERCULOCIDAL ACTIVITY:** This product exhibits disinfectant efficacy against *Mycobacterium tuberculosis* BCG at 20 degrees Centigrade when the treated surface is allowed to remain wet for 3 minutes.